EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	2	6253200".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 14:55
L5	2	"6122637".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:00
L6	2	"6058205".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:13
L7	2	"6163781".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:18
L8	2	"6922707".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:25
L9	2	"5727201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:37
L10	2	"6157924".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:44

L11	2	"6243703".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:48
L12	9	query with qualifier with list	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:56
L13	192	query with qualifier	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 15:59
L14	46	query with qualifier and query with parameter and user with (build\$3 or template or select\$4 or menu or list or "drop down")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:00
L15	403	query with (build\$3 or template or statement) and user with (select\$4 or menu or ist or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) and current with context	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:16
L16	148	query with (build\$3 or template or statement) and user with (select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) same current with context	US-PCPUB; USPAT; USOCR; EPO; JPO; DEFIWENT; IBM_TDB	OR	ON	2008/07/22 16:19

L17	2	"6883005"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:24
L18	2	"6970869".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:41
L19	2	"5950200".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:51
L20	2	"6044381".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 16:55
L21	2	"20050080792".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 17:53
L22	2	"5307487".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 17:56
L23	2	"5835915".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 17:58

L24	148	query with (build\$3 or template or statement) and user with (select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) same current with context and query with (build\$3 or template or statement)	US-PGPUB; USPAT; USPAT; USPAT; JPO; DEFWENT; IBM_TDB	OR	ON	2008/07/22 18:22
L25	148	query with (build\$3 or template or statement or construct\$4) and user with (select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context and query with (build\$3 or template or statement)	US-PCPUB; USPAT; USPAT; USPAT; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:29
L26	2	"7069254".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:29
L27	5	"696833".pn.	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:45

L28	157	query with (build\$3 or template or statement or construct\$4 or user or select\$4 or menu or list or 'drop down') with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) same current with context and query with (build\$3 or template or statement)	US-PCPUB; USPAT; USOOR; EPO; JPO; DEFWENT; IBM_TDB	OR	ON	2008/07/22 18:46
L29	860	query with (build\$3 or template or statement or construct\$4 or user or select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) with context and query with (build\$3 or template or statement)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:47
L30	339	query with (select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) with context and query with (build\$3 or template or statement)	US-PCPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:48
L31	39	query with (select\$4 or menu or list or "drop down") with (parameter or constraint or boundary or recommend\$4 or suggest\$4 or context) with context with current and query with (build\$3 or template or statement)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/22 18:49

7/ 22/ 2008 7:17:07 PM